

# List of All Chemicals

## P Genista tinctoria (Fabaceae)

### Common name(s)

Dyer's Broom

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
(-)-(7R,9R,11R-7-N-METHYL-11(PROP-2-ENYL)CYTISINE	Shoot	--	--		*
(7R,9R,11R-7-N-METHYL-11(PROP-2-ENYL)CYTISINE	Shoot	--	--		*
ALKALOIDS	Shoot	--	3000.0	-0.41	*
ANAGYRINE	Shoot	--	--		*
<b>Activities (11)</b>					
AntiRSV					
Antiarrhythmic					
Antiedemic					
Antiviral					
Cardiotonic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Cathartic					
Diuretic					
Nematostat		Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.			
Oxytoxic					
Tachycardic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Teratogenic 30 mg/kg					
CYTISINE	Shoot	--	--		*
<b>Activities (10)</b>					
Antiinflammatory					
Hallucinogenic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Molluscicide					
Nematostat		Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.			
Pesticide					
Pressor		Collins, D.J., Culvenor, C.C.J., Lamberton, J.A., Loder, J.W. and Price, J.R., Plants for Medicines, CSIRO, East Melbourne, Australia, 1990, 303 pp.			
Psychoactive					
Respirastimulant		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Teratogenic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Toxic		Mitchell, J. and Rook, A.J. 1923. Botanical Dermatology: plants and plant products injurious to the skin. Vancouver: Greengrass, 1979. xiii, 787 p.: ill.			
DAIDZEIN	Shoot	--	--		*
<b>Activities (32)</b>					
Antialcoholic					
Antiarrhythmic					
Anticancer					
Anticephalagic					
Antidiipsomanic 150 mg/kg/day					
Antiestrogenic					
Antihemolytic					
Antiinflammatory					
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.				

Antimicrobial	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiosteoporotic	
Antioxidant 1/4 quercetin	
Antiproliferative	
Antiradicular 1/4 quercetin	
Antispasmodic	
Antitumor-Promoter	
Antiviral	
Aromatase-Inhibitor IC28=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Cancer-Preventive	
Coronary-Dilator	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Fungicide >100	
Hypotensive ivn	Foster, S. and Yue, C-G. 1992. <i>Herbal Emissaries-Bringing Chinese Herbs to the West</i> . Healing Arts Press, Rochester VT. 356 pp.
Lipase-Inhibitor	
Quinone-Reductase-Inducer	Yannai, S., Day, A. J., Williamson, G., Rhodes, M. J. C. 1998. Characterization of Flavonoids as Monofunctional or Bifunctional Inducers of Quinone Reductase in Murine Hepatoma Cell Lines. <i>Food Chem Toxicol</i> , 36(8): 623-630.
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. <i>Toxicol Ind Health</i> , 14: 223-237.
Topoisomerase-II-Inhibitor IC50=3.9 mM	Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From <i>Psoralea corylifolia</i> . <i>J Natural Products</i> , 61: 362-366.
Uterotrophic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
VEGF-Inhibitor	

EO	Shoot	--	300.0	-0.93	*
GENISTEIN	Flower	--	--	--	*

#### Activities (81)

Abortifacient	Cooper-Driver, G. A. <i>Chemical substances in plants toxic to animals</i> , pp. 213-47 in Rechcigl, M., Jr., ed. <i>CRC Handbook of Naturally Occurring Food Toxicants</i> , CRC Press, Boca Raton, 1983, 339 pp.
Aldose-Reductase-Inhibitor IC50=10 uM	
Alpha-Reductase-Inhibitor IC50=35 uM	
Antiaggregant 1-10 ug/ml	Medline (post 1990 searches filed in my computer)
Antiangiogenic 150 uM	
Antiatherosclerotic	Journal of Medicinal Food 2: 163.1999.
Anticancer (Breast) IC50=2.6-6.7 ug/ml	
Anticarcinomic (Breast) IC50=?640 uM	Medline (post 1990 searches filed in my computer)
Anticlimacteric	Duke, J. A. Write ups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Antiedocytotic 100 ug/ml	Medline (post 1990 searches filed in my computer)
Antiestrogenic	
Antifertility	
Antihemolytic	
Antiimplantation	
Antiinflammatory	Journal of Medicinal Food 2: 179.1999.
Antiischemic	Medline (post 1990 searches filed in my computer)
Antileukemic >50 ug/ml (185 uM)	
Antileukemic IC50=0.010 ug/ml	Life Sciences 55: 1061.
Antileukotriene IC50=10-15 uM	Medline (post 1990 searches filed in my computer)
Antilymphomeric	
Antimelanomic	Medline (post 1990 searches filed in my computer)
Antimicrobial	
Antimitogenic IC50=12 uM	
Antimutagenic ID50=50-100 nM	Maga, J.A. Contribution of Phenolic Compounds to Smoke Flavor. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.13.
Antineuroblastomic	
Antiosteoporotic	
Antioxidant	Phenolic Compounds in Food and Their Effects on Health, 64.
Antiproliferative 5-45 uM	
Antiprostatadenomic 8-27 ug/ml	Medline (post 1990 searches filed in my computer)
Antiprostatic IC50=35 uM	

Antitumor (Breast)	
Antitumor (GI)	
Antitumor (Ovary)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiulcer?	
Antiviral	
Apoptotic	
Aromatase-Inhibitor IC30=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Calcium-Antagonist 50 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective	Journal of Medicinal Food 2: 163.1999.
Catechol-O-Methyltransferase-Inhibitor	
Cytotoxic >50 ug/ml (185 uM)	Medline (post 1990 searches filed in my computer)
Cytotoxic IC89=10 ug/ml	Planta Medica, 57: A113, 1991.
DOPA-Decarboxylase-Inhibitor	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Flatulent	
Fungicide 2.5 mM	Geibel, M. 1994. Sensitivity of the Fungus <i>Cytospora persoonii</i> to the Flavonoids of <i>Prunus cerasus</i> . <i>Phytochemistry</i> , 38(3): 599-601. 1995.
Fungicide ED50=50->100	
Fungistat IC34=200 uM	
Histidine-Kinase-Inhibitor IC50=110 uM	Medline (post 1990 searches filed in my computer)
Hypocholesterolemic ED50=0.5 mg/kg	
Immunostimulant 2-20 mg/kg orl mus	
Lipase-Inhibitor	
MAO-Inhibitor IC50=60-140 uM	
MAO-Inhibitor IC50=95	
MDR-Inhibitor 200 uM	Castro, A. F., Altenberg, G. A. 1997. Inhibition of Drug Transport by Genistein in Multidrug-Resistant Cell Expressing P-Glycoprotein. <i>Biochem Pharmacol</i> , 53(1): 89-93.
NADH-Ubiquinone-Oxidoreductase-Inhibitor	
Natriuretic	
Ornithine-Decarboxylase-Inhibitor	
PTK-Inhibitor 10-100 uM	
Peroxidase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Pesticide	
Phytoalexin	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Pituitary-sensitizer	Medline (post 1990 searches filed in my computer)
Quinone-Reductase-Inducer IC50=4.6 ug/ml	
Topoisomerase-I-Inhibitor IC50=250 ppm	
Topoisomerase-I-Inhibitor 1-10 ug/ml	Okura, A., Arakawa, H., Oka, H., Yoshinari, T., Monden, Y. 1988. Effect of Genistein on Topoisomerase Activity and on the Growth of [VAL 12]HA-RAS-Transformed NIH 3T3 Cells. <i>Biochem Biophys Res Commun</i> , 157: 183-189.
Topoisomerase-II-Inhibitor IC50=1-150 uM	
Topoisomerase-II-Inhibitor 2-7.5 ug/ml	
Topoisomerase-II-Inhibitor IC50=30 ug/ml	Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. <i>J Natural Products</i> , 58: 217-225.
Topoisomerase-II-Inhibitor 20 uM	Markovits, J., et al. 1989. Inhibitory Effects of the Tyrosine Kinase Inhibitor Genistein on Mammalian DNA Topoisomerase II. <i>Cancer Research</i> , 49: 5111-5117.
Topoisomerase-II-Poison	Journal of Medicinal Food 2: 167.1999.
Trypanosomastat	Medline (post 1990 searches filed in my computer)
Tyrosine-Kinase-Inhibitor	
Uterotrophic ED50=0.5 mg/kg	
Uterotrophic EC50=0.1-25 uM/l	
VEGF-Inhibitor	

GENISTEIN-7-O-GLUCOSIDE	Plant	--	--	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
-------------------------	-------	----	----	--

**Activities (3)**

Antioxidant Phenolic Compounds in Food and Their Effects on Health, 64.

Estrogenic

Fungicide

ISOPARTEINE

Shoot -- -- \*

LUPANINE

Shoot -- -- \*

**Activities (3)**

Hypoglycemic

Molluscicide

Pesticide

LUTEOLIN-5,7-DIGLUCOSIDE Plant -- -- \*

LUTEOLIN-5-GLUCOSIDE Plant -- -- \*

LUTEOLIN-7-BETA-D-GLUCOPYRANOSIDE Plant -- -- \*

MUCILAGE Plant -- -- \*

**Activities (3)**

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Demulcent

Hypocholesterolemic

N-METHYL-CYTISINE Shoot -- -- \*

TANNIN Plant -- -- \*

**Activities (35)**

Anthelmintic

AntiHIV

Antibacterial

Anticancer

Anticariogenic

Antidiarrheic

Antidysenteric

Antihepatotoxic

Antihypertensive

Antilipolytic

Antimutagenic

Antinephritic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

Antiophidic

Economic &amp; Medicinal Plant Research, 5: 363.

Antioxidant

IC50=1.44 ug/ml

Antioxidant 1/3

quercetin

Antiradicular 500

mg/kg/day orl mus Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously

Antiradicular 1/3

quercetin

Antirenitic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously

Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

Antitumor

Antitumor-Promoter

Antiulcer

Antiviral

Cancer-Preventive HerbalGram No. 22 - Spring 1990, page 14.

Carcinogenic

Chelator

Cyclooxygenase-Inhibitor

Glucosyl-Transferase-Inhibitor

Hepatoprotective

Immunosuppressant

Lipoxygenase-Inhibitor

MAO-Inhibitor

**Decarboxylase-Inhibitor**

**Pesticide**

**Psychotropic**

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

**Xanthine-Oxidase-Inhibitor**

THERMOPSINE	Leaf	--	--	*
TINCTORINE	Plant	--	--	*